

www.ggcl.in



24^{YEARS}
1997 | 2021

nu
eva
PORCELAIN

nu
eva
MOSAICS

nu
eva
MARBLE

GRYPHON
CERAMICS

COSA CERAMICS PVT. LTD.

GGCL
by GruppoNueva



Strength & beauty in each detail

when love and skill work together,

expect a *Masterpiece*



GruppoNueva

one group - one mind - one vision

One of the leading and emerging manufacturer, having headquarter in Morbi. Renowned for innovative ceramic excellence and a brand that stands for new thinking, Thinking that aligns with our client's need to serve them better. The group manufactures surfaces inspired by nature bringing in the warmth of natural elements with its color options and natural textures.

24^{YEARS}
1997 | 2021

nu
eva
PORCELAIN

nu
eva
MOSAICS

nu
eva
MARBLE

GRYPHON
CERAMICS

COSA CERAMICS PVT. LTD.

GGCL
GrappoNueva



Raw, natural and minimal textures and designs for outdoor application and exterior solutions. These tiles are simple yet fabulous, and durable for long run.

Unique 16 Designs



Unique nature inspired collection with endless combinations. Subtle and strong colors with delicate veins that offers great aesthetics, lasting for decades.

Sizes



↶ 600x600mm



20mm Thickness

Discover thick tiles that are ideal for exterior surfaces and aesthetic solutions for gardens, terraces and balconies. They are durable and can withstand all weather conditions.





BASALTINA STONE DARK

Raw and minimal texture making it a distinctive beauty for outdoor flooring and exterior surfaces.

Suitable Applications



MALL



GARDEN



SWIMMING
POOL



AIRPORT

AVAILABLE SIZES

600x600mm







BASALTINA STONE LIGHT

Elevate your exterior surfaces with natural, neutral, and poised aesthetics.

Suitable Applications

-  MALL
-  GARDEN
-  SWIMMING POOL
-  AIRPORT

AVAILABLE SIZES

600x600mm







CEPPO DI GREY DARK


A whole different look to outdoor spaces with tiles with natural and neutral textures.

Suitable Applications

- 
MALL
- 
GARDEN
- 
SWIMMING
POOL
- 
AIRPORT

AVAILABLE SIZES

600x600mm







CEPPO DI GREY LIGHT

Engage into simplicity and minimalism for your exterior solutions, designs to charm up your space.

Suitable Applications



MALL



GARDEN



SWIMMING
POOL



AIRPORT

AVAILABLE SIZES

600x600mm







FRENCH LIME STONE BROWN

Add richness of warm hues and textures to your outdoor floorings.

Color Blend

Light Brown, Mid Brown, Dark Brown

Suitable Applications



MALL



GARDEN



SWIMMING
POOL



AIRPORT

AVAILABLE SIZES

600x600mm







FRENCH LIME STONE GREY

Create unique and beautiful spaces with neutral, raw, and minimal style for the exteriors.

Color Blend

Light Grey, Mid Grey, Dark Grey

Suitable Applications



MALL



GARDEN



SWIMMING
POOL



AIRPORT

AVAILABLE SIZES

600x600mm







SOFT WOOD LIGHT

The poised, raw and woody appeal that runs throughout the exterior surfaces.

Suitable Applications



MALL



GARDEN



SWIMMING
POOL



AIRPORT

AVAILABLE SIZES

600x600mm







JUPITER BLACK

Bold, neutral and beautiful to cherish the poolside flooring and making it a distinctive aura.

Suitable Applications



MALL



GARDEN



SWIMMING
POOL




AIRPORT

AVAILABLE SIZES

600x600mm







REVIVE

Checkered textures with natural elements for your outdoor application that redefines beauty.

Color Blend

Light Grey, Mid Grey, Dark Grey

Suitable Applications

- 

MALL
- 


GARDEN
- 

SWIMMING POOL
- 

AIRPORT

AVAILABLE SIZES

600x600mm



TECHNICAL SPECIFICATION

Sr.No	CHARACTERISTICS	STANDARD AS PER IS 15622:2006 GROUP BIA	MEAN VALUE OF VITRIFIED TILES
Regulatory Properties			
1	Deviation in Length & Width	±0.5%	±0.1%
2	Deviation in Thickness	±5.0%	±3.0%
3	Straightness of Sides	±0.5%	±0.1%
4	Rectrangularity	±0.5%	±0.1%
5	Surface Flatness	±0.5%	±0.2%
6	Glossiness	As per mfg.	Matt surface
Structural Properties			
7	Water Absorption	<0.5%	≤0.10%
8	Apparent Density	>2.0 g/cc	>2.10 g/cc
Massive Mechanical Properties			
9	Modulus Rupture	Min. 35 N/mm ²	Min. 40 N/mm ²
10	Impact Resistance	As per mfg.	Min. 0.55
Surface Mechanical Properties			
11	Surface abrasion resistance	As per mfg.	Min. Class 5
12	MOH's Hardness	As per mfg.	Min. 5
Thermo Hydrometric Properties			
13	Frost Resistance	No Damage	No Damage
14	Thermal Shock Resistance	No Damage	No Damage
15	Moisture Expansion	Nil	Nil
16	Crazing Resistance	No Damage	Min. 10 Cycle
Chemical Properties			
17	Chemical Resistance	No Damage	No Damage
18	Stain Resistance	Resistance	Resistance
Safety Properties			
19	Anti Skid (COF)	As per mfg.	Matt <0.75
20	Fire Resistance	As per mfg.	Fire Proof

PACKING DETAILS

20mm	600x600	2	34.0	0.72 Sq. Mt.
	600x1200	1	35.0	0.72 Sq. Mt.

24^{YEARS}
1997 | 2021

GruppoNueva
one group - one mind - one vision



GRUPO GRIFFIN CERAMICA LLP

8-A, National Highway, Lakhadhirpur Road, Ghuntu,
Morbi-363642, Gujrat, INDIA.
Phone Number : +91 90819 88855

E-mail: mayur@ggcl.in , international@ggcl.in

Web: www.ggcl.in