GGCL by GruppoNueva

www.ggcl.in



COLLECTION 2022



















when love and skill work together,























WONDER SERIES

COLLECTION 2022

A collection with timeless designs, styles, and textures that never goes out of style. They are inspired by routine basics and compliments Wonder Full lifestyle, while lifting up the space.







Explore the array of versatile sizes of tiles that we manufacture for every need and space. Different tile size impacts the overall appearance, so choose your size as per the look that you desire.



SAPHEDA CONTINUO

Suitable Applications











FINISH:- POLISHED

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -





SAPHEDA VENATO

Suitable Applications















AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm







SAPHEDA STATUARIO

Suitable Applications











FINISH:- POLISHED

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -



SAPHEDA CARARA GREY

Suitable Applications











SPA



1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm







SAPHEDA CARARA GOLD

Suitable Applications













FINISH:- POLISHED

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm





KLASSIKO VENATO BLACK

Suitable Applications











Faces -

FINISH:- POLISHED

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm



KLASSIKO VERSILIA

Suitable Applications
















1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm





ESKEPA RAIN

Suitable Applications











FINISH:- HIGH GLOSSY

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -



KLASSIKO AFRICA

Suitable Applications













FINISH:- POLISHED

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm







KLASSIKO ONYX

Suitable Applications











FINISH:- POLISHED

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm



KLASSIKO MEDICEA

Suitable Applications


























ESKEPA MARBLE WHITE

Suitable Applications











FINISH:- HIGH GLOSSY

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -





ESKEPA URBAN ORNATE

Suitable Applications













FINISH:- HIGH GLOSSY

AVAILABLE SIZES

Faces -







BHUKHARA TRAVERTINO GREY

Suitable Applications











BHUKHARA ICE GREY

Suitable Applications













FINISH:- HIGH GLOSSY

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -









FINISH:- HIGH GLOSSY

AVAILABLE SIZES

Faces -









BHUKHARA MARBLE BROWN

Suitable Applications











FINISH:- HIGH GLOSSY

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -



BHUKHARA MARBLE GREY

Suitable Applications




























BHUKHARA FANTASY BLUE

Suitable Applications













FINISH:- HIGH GLOSSY

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -









BHUKHARA FANTASY CLAY

Suitable Applications
















Faces -











BHUKHARA APOLLO DARK

Suitable Applications













FINISH:- HIGH GLOSSY

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -







BHUKHARA APOLLO LIGHT

Suitable Applications













AVAILABLE SIZES

Faces -













BLEKKA GOLD

Suitable Applications











FINISH:- HIGH GLOSSY

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -







BLEKKA PIETRA

Suitable Applications











FINISH:- HIGH GLOSSY



Faces -







BLEKKA PORTORO WHITE

Suitable Applications













FINISH:- HIGH GLOSSY

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -





ESKEPA AZUL

Suitable Applications











FINISH:- HIGH GLOSSY

AVAILABLE SIZES









ESKEPA EMPERADOR STONE

Suitable Applications















ESKEPA FLURRY

Suitable Applications











FINISH:- HIGH GLOSSY


















BEJHA BRECCIA

Suitable Applications











BEJHA FIORITO

Suitable Applications













FINISH:- POLISHED

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -





AVAILABLE SIZES

FINISH:- POLISHED

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm







BEJHA MARBLE BEIGE

Suitable Applications











FINISH:- POLISHED

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -







BEJHA NEW MARFIL

Suitable Applications



























BEJHA POLISHED

Suitable Applications











FINISH:- POLISHED



1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -







BEJHATRAVERTINO BROWN

Suitable Applications













FINISH:- HIGH GLOSSY

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm











SIMENTA METAL LIGHT GREY

Suitable Applications













FINISH:- LAPATO

AVAILABLE SIZES

1600x3200mm | 1200x2400mm | 1200x1200mm | 1000x2000mm | 900x1800mm

Faces -



SIMENTA MOCCO

Suitable Applications













FINISH:- MATT

AVAILABLE SIZES

Faces -





Technical Specification

GLAZED VITRIFIED TILES 9mm Thickness



Characteristic	Group Bla - ISO 13006/EN-176	Group Bia IS :15622:2017	Gruppo Nueva Value	Test According to
Deviation in length and width	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in thickness	±5%	± 4%	± 4%	ISO 10545:2/IS:13630 (P-1)
Deviation in Staightness of sides	± 0.5%	± 0.4%	± 0.196	ISO 10545:2/IS:13630 (P-1)
Deviation in Rectangualrity	± 0.6%	± 0.1%	± 0.3%	ISO 10545:2/IS:13630 (P-1)
Deviation in Surface Flatness	± 0.5%	± 0.2%	± 0.2%	ISO 10545:2/IS:13630 (P-1)
Surface Quality (%)	Minimum 95%	Minimum 95%	No visible defects	ISO 10545:2/IS:13630 (P-1)
Glossiness with Nano	Declared by manufacture	5:	Above 90	ISO 2813 (Glossy meter)



Characteristic	Group Bla - ISO 13006/EN-176	Group Bia IS :15622:2017	Gruppo Nueva Value	Test According to
Scratch Hardness of surface Moh's scale	Min. 3	Min. 3	Min. 3	EN-101/IS:13630 (P-13)
Water absorption	≤0.05%	Averages 0.08, Individual maximum 0.10%	<0.05%	ISO 10545:3/IS: 13630 (P-2)
Moisture Expansion	Nil	maximum o.ios	NII	ISO 10545:10
Surface Abrassion	Required	Required	PEI 2 - 4	ISO 10545:7/IS:13630 (P-12)



Characteristic	Group Bla - ISO 13006/EN-176	Group Bia IS :15622:2017	Gruppo Nueva Value	Test According to
Breaking strength	1300 N	Min 1300 N	≥1800 N	ISO 10545:4/IS: 13630 (P-6)
Modulus of rupture	>35 N/mm2	Average 35, Individual minimum 32	≥ 35 N/mm2	ISO 10545:4/IS: 13630 (P-6)

Safety charactersitics

Characteristic	Group Bla - ISO 13006/EN-176	Group Bia IS :15622:2017	Gruppo Nueva Value	Test According to
Density	2.20 gm/cc	Min 2.20 gm/cc	2.25 gm/cc	DIN 51082/IS: 13630 (P-2)
Skid resistance (Friction coefficient)	≥0.4	₹	≥ 0.4	ISO 10545:17



Thermo photo characteristic

Characteristic	Group Bla - ISO 13006/EN-176	Group Bia IS :15622:2017	Gruppo Nueva Value	Test According to
Thermal shock resistance	Resistant to 10 cycles	Min 10 cycles	Pass min 10 cycles	ISO 10545:9/IS: 13630 (P-5)
Co efficient of thermal expansion	9×10-6K-1Max	6×10-6K-1Max	<6×10-6K-1 Max	ISO 10545:8/IS:13630 (P-4)
Frost resistance	Resistant	Required	Need to comply with the standard	ISO 10545;12/IS: 13630 (P-10)
Color Resistance to UV light	Resistant		Resistant	DIN 51094



Chemical characteristics charactersitics

Characteristic	Group Bla - ISO 13006/EN-176	Group Bia IS :15622:2017	Gruppo Nueva Value	Test According to
Stain Resistance	Min class-3	Required	Min conform to class-3*	ISO 10545/14
Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	min class-UB	Required	Conform to classes-UA*	ISO 10545/13/IS:13630 (P-7)
Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	min class-ULB	Required	Conform to classes-ULA*	ISO 10545:13/IS:13630 (P-7)
Chemical Resistance HICH CONCENTRATIONS ACID & ALKALIES	min class-UHB	Required	Conform to classes-UHA*	ISO 10545:13/IS:13630 (P-7)

PACKING DETAILS

Dimensions & Thickness (mm)	No.of tiles /box	Box Weight	Box per Pallet	Pallet per Container	Box per Container	SQM per Container
900x1800x9	2	68 KGS	24	16	384	1244.16
1000x2000x9	2	67 KGS	25	13	325	1300
1200x1200x9	2	62 KGS	13(26)/4(21)	17	422	1215.36
1200x2400x9 (40 feet)	-1	64 KGS	28	15	420	1210
1600x3200x9 (40 feet)	1	110 KGS	25	9	225	1152

- Vitrified tiles have resistance to most of the stains/chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.
- Resistance to acids & alkalies (Exception Hydrofluoric acids & its Compounds)
- Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection
- · Sizes mentioned in the catalogue are nominal sizes only.
- No claim will be entertained once the tiles are fixed.
- For better laying. Please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Note		



