GruppoNueva

STRONG VALUES
FOR AFORWARD
THINKING COMPANY

www.grupponueva.com

Design by Wox Commercial D

NEW COLLECTION 60X120 CM










A NEW THINKING COMPANY

One of the leading and emerging manufacturers, having headquarter in Morbi. Renowned for innovative ceramic excellence and a brand that stands for new thinking, Thinking that aligns with our client's need to serve them better. The group manufactures surfaces inspired by nature bringing in the warmth of natural elements with its color options and natural textures.

60CM THICKNESS: 9MM

THE PERFECT SIZE 60X120CM

To get along with the dynamic world and ever-changing technology, we deliver the perfect size to provide you and your space a modernistic feel through advancing our processing, finishing, and management as well as bringing artistry & creativity to our styles.



REFINED AND DECORATIVE SURFACES TO INTERIOR EXPERIENCES.

Our wide range of finishes are crafted to cause a stir and leaves you with striking feel that arouses your senses. We have something for every spaces and desires.

www.grupponueva.com

PERFECT MIXTURE OF TECHNOLOGY AND IMAGINATION

Adoring your indoors as well outdoor, from residential to commercial space, we have something for every spaces. The pride of your space when it comes to giving a touch of grandeur to a space. Our exceptional surfaces are widely used to adorn the walls & embellish the floor of your Spaces. Its diverse applications allow it to style spaces and create a mesmerizing space with rich aesthetics.

TECHNICAL FEATURES



For wall application



For floor application



Sintering technology



Impact resistance



Fine detailing




Stain resistant



Water resistant



More alossiness




GLOSSY SURFACES

Glossy Collection is carved to create a majestic sensation in your spaces. Luminous & gleaming textures are crafted to add the magnificence of the real gloss. Experience the immortal art of ceramic. By the perfection of design and the hands of skilled craftsmen, Gruppo Nueva has given the surface of authentic Glossy surfaces, the character of the best ambiances, strong at sight and gentle at the touch.




































SIZE 60X120CM

FINISH **GLOSSY**

9MM











9MM

FINISH **GLOSSY**















MATT SURFACES

Our matt collection is the perfect epitome of Ecstasy & luxury. It is the ultimate choice of expert, as Matt's finish conveys a sophisticated aura. Get indulged in the world of regal surfaces. Matt delivers the best impact when it's combined with the 600x1200mm size. Our exhilarating shades and the perfect matt texture will leave you awestruck













DUCATI GRIS R-5










































FINISH MATT







FINISH

MATT

STONE WHITE R-4











CARVING SURFACES

Introducing our collection of carving tiles that shall make your decor dreams come true. Each style brings a modernistic outlook and enthusiastic vibe to your home. Dimensions are 600x1200 mm with 9 mm thickness. Our topnotch quality is maintained through advanced technology and upgraded infrastructure & management. Our forte stays in providing such designs that satisfy you and brings an aura of serenity to your space. We aim to amaze you with our unique features in colours, patterns, and textures. Our finishing provides you with a miraculous feel of touch and surrounds you with natural calmness.



















HIGH GLOSS SURFACES


Feel the supremacy of High gloss Collection in detail, the foremost texture is all set to blow your mind by giving you a delicate feel in your surrounding. Manifest the Magnificence with the hues of glory inbuilt by our surfaces. Our surfaces are truly crafted to deliver an unmatched experience. Experience the unparalleled surfaces decored with the illuminating finish called high gloss.




































ENDLESS GLOSSY SURFACES

Endless Glossy Collection brings the essence of the noble and sophisticated character of classic ceramic art. Back to the roots through natural materials & artistry effects makes collections such as Glossy, the perfect bet for those who are looking to create extremely attractive, seamless and welcoming spaces. Glossy finish and its endless figures blend harmoniously with the elements of ambiance in a very contemporary style.























MELLOW CHOCOLATE

R-4

































URBAN ORANT













Technical Specification GLAZED VITRIFIED TILES 9mm Thickness



Dimensions & surface Quality

Characteristic	Group Bla - ISO 13006/EN-176	Group Bia IS :15622:2017	Gruppo Nueva Value	Test According to
Deviation in length and width	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in thickness	± 5%	± 4%	± 4%	ISO 10545:2/IS:13630 (P-1)
Deviation in Staightness of sides	± 0.5%	± 0.4%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in Rectangualrity	± 0.6%	± 0.1%	± 0.1%	ISO 10545:2/IS:13630 (P-1)
Deviation in Surface Flatness	± 0.5%	± 0.2%	± 0.2%	ISO 10545:2/IS:13630 (P-1)
Surface Quality (%)	Minimum 95%	Minimum 95%	No visible defects	ISO 10545:2/IS:13630 (P-1)
Glossiness with Nano	Declared by manufacture	-	Above 90	ISO 2813 (Glossy meter)



Characteristic	Group Bla - ISO 13006/EN-176	Group Bia IS :15622:2017	Gruppo Nueva Value	Test According to
Scratch Hardness of surface Moh's scale	Min. 3	Min. 3	Min. 3	EN-101/IS:13630 (P-13)
Water absorption	≤0.05%	Averages 0.08, Individual maximum 0.10%	<0.05%	ISO 10545:3/IS: 13630 (P-2)
Moisture Expansion	Nil	-	Nil	ISO 10545:10
Surface Abrassion	Required	Required	PEI 2 - 4	ISO 10545:7/IS:13630 (P-12)

Mechanical charactersitics

Characteristic	Group Bla - ISO 13006/EN-176	Group Bia IS :15622:2017	Gruppo Nueva Value	Test According to
Breaking strength	1300 N	Min 1300 N	≥ 1800 N	ISO 10545:4/IS: 13630 (P-6)
Modulus of rupture	>35 N/mm2	Average 35, Individual minimum 32	≥ 35 N/mm2	ISO 10545:4/IS: 13630 (P-6)



Characteristic	Group Bla - ISO 13006/EN-176	Group Bia IS :15622:2017	Gruppo Nueva Value	Test According to
Density	2.20 gm/cc	Min 2.20 gm/cc	2.25 gm/cc	DIN 51082/IS: 13630 (P-2)
Skid resistance (Friction coefficient)	≥0.4	-	≥ 0.4	ISO 10545:17



Thermo photo characteristic

Characteristic	Group Bla - ISO 13006/EN-176	Gruppo Nueva Value		Test According to
Thermal shock resistance	Resistant to 10 cycles	Min 10 cycles	Pass min 10 cycles	ISO 10545:9/IS: 13630 (P-5)
Co efficient of thermal expansion	9×10-6K-1Max	6×10-6K-1Max	<6×10-6K-1 Max	ISO 10545:8/IS:13630 (P-4)
Frost resistance	Resistant	Required	Need to comply with the standard	ISO 10545:12/IS: 13630 (P-10)
Color Resistance to UV light	Resistant	-	Resistant	DIN 51094



Chemical characteristics charactersitics

Characteristic	Group Bla - ISO 13006/EN-176	Group Bia Gruppo Nueva Value 6 IS:15622:2017		Test According to
Stain Resistance	Min class-3	Required	Min conform to class-3*	ISO 10545:14
Chemical Resistance HOUSE HOLD CHEMICAL & SWIMMING POOL SALT	min class-UB	Required	Conform to classes-UA*	ISO 10545:13/IS:13630 (P-7)
Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES	min class-ULB	Required	Conform to classes-ULA*	ISO 10545:13/IS:13630 (P-7)
Chemical Resistance HIGH CONCENTRATIONS ACID & ALKALIES	min class-UHB	Required	Conform to classes-UHA*	ISO 10545:13/IS:13630 (P-7)

PACKING DETAILS

Dimensions & Thickness (mm)	No.of tiles /box	Surface	Coverage Area	Box Weight
600x1200x9	2	Polished / HG / Smooth / Roughed	1.44 sqm	31 kg (Avg)

- · Vitrified tiles have resistance to most of the stains/chemicals but, it is recommended to take due care while laying and for day-to-day maintenance.
- \cdot Resistance to acids & alkalies (Exception Hydrofluoric acids & its Compounds)
- · Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection
- \cdot Sizes mentioned in the catalogue are nominal sizes only.
- $\boldsymbol{\cdot}$ No claim will be entertained once the tiles are fixed.
- \cdot For better laying. Please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.

Packing Details
60x120 cm
30 Box/Pallet







HARD CORRUGATED STRIP IS USED TO PROTECT PALLET AND ALSO WE HAVE USEPLASTIC ANGLE BOARD ON BOTH SIDES.

SAFETY STRIP ON SIDES AND WRAPPED WITH WHITE STRONG PLASTIC CAP (0.09mm)



PALLET
packing details

PCS / BOX	M² / BOX	KG / BOX	BOX / PALLET	M² / PALLET	NET WT. PALLET	GROSS WT. PALLET
2	1,44	29.5	30	43,20	855	877

Packing Details
60x120 cm
20 ft. Container Loading
30 Pallet/Cont

LEVEL 3

25	26	
27	28	
29	30	

LEVEL 2

13	14	15	16	
17	18	19	20	
21	22	23	24	

LEVEL 1

1	2	3	4	
5	6	7	8	
9	10	11	12	











CONTAINER 20ft. packing details

PALLET	TOTAL BOX	NET WT.	GROSS WT.	TOTAL SQ. MTR
30	900	25650	26310	1296.00