www.ggcl.in

#### 600x1200 mm Matt

Gruppo Nueva one group - one mind - one vision

COLLECTION 2022

**Gres Porcelain** Tiles
















Our collection has a wide variety of styles. Variants let a customer identify their own distinctive style and taste through they want to illuminate their home decor or bring of dark marvelous touch to it. Our products have top-notch quality as special attention is given to processing and finishing through a constant upgrade in technology and innovations.

We aim to bring forward our products to compete at a global standard of lifestyle and home decor. Our perpetual determination and efforts focus on providing the world with something new and creative. Our mission is to break through the ceramic industry through our profound artistic collection.



#### 600x1200mm

The dimension available is 600x1200 mm. This basic yet perfect size can allow various applications. Extreme attention is given to engineering and finishing. A thorough advancement is made in technology management along with a strong value of sustainability.

Our team includes great professionals that understand the organization's values and principles. Our company also aims to provide certain training and guidance to them to enhance their ability and improve their work.

#### **APPLICATION**

Our products make your home look extra spacious and grandeur. Our aim is to bring a touch of extravagance and beauty that marvels the audience and onlookers. We have several applications for indoor & outdoor spaces. Our exquisite styles are widely used to adorn the walls & embellish the floor of your household, they give a modern contemporary outlook and a serene vibe. Uplifting your lifestyle, we opt to do the impossible. We are here to amaze you By transforming the ordinary into the extraordinary. Our surfaces can adorn various residential and commercial locations beautifully.



Commercial Building



Residential



Hotel, Restoaurant



Hospital



School,



Airport



Hall & corridor



Gymnasium



Mall & Super Market



Industry







#### MATI

Matt Collection is to adorn your home decor with basic colours but a feel of richness and luxury. It makes you feel enthusiastic and gives an elegant vibe to your space. Experience the flawless art of ceramic matt through great craftsmanship and creativity. The tiles are being manufactured under state-of-the-art technology and therefore, have premium quality.

The collection translates the timeless and flawless aura into home decor tiles, imagination into real vision, and brings forward a modern outlook. It stands ideal for the most ambitious design projects. The collection brings forward a collection that looks smooth and inculcates a feeling of grandeur by making your space look extra spacious.

#### **Interactive Guide**



#### Please Click

13 Ferro Celeste

To view specific tile information in detail, please click on the corresponding tile picture.



#### Click on the logo

To return to the previous index page, you shall click on the logo.

| 1  | Aquarium Grey    | 14 | Fusion Grey        |
|----|------------------|----|--------------------|
| 2  | Aquarium Ivory   | 15 | Marmi Grey         |
| 3  | Bestone Brown    | 16 | Rocca Ivory        |
| 4  | Calcatta White   | 17 | Neo Beige          |
| 5  | Cemento Beige    | 18 | Neo Brown          |
| 6  | Cemento Brown    | 19 | Neo Dark Brown     |
| 7  | Cemento Coffe    | 20 | Neo Grey           |
| 8  | Cemento Crema    | 21 | Neo Oriental Night |
| 9  | Cemento Grey     | 22 | Stone Grey         |
| 10 | Cemento Gris     | 23 | Rock Olive         |
| 11 | Cemento Ivory    | 24 | Staturio White     |
| 12 | Classic Staturio | 25 | Zuby Gris          |


























Surface : Matt Size: 600x1200mm

Random:8

Surface : Matt

Size: 600x1200mm























## **CALCATTA WHITE**

Surface : Matt Size: 600x1200mm

Random: 6

Surface: Matt

Size: 600x1200mm























#### **CEMENTO BEIGE**

Surface : Matt Size : 600x1200mm Random : 4

#### **CEMENTO BROWN**

Surface : Matt Size : 600x1200mm Random : 4



























## **CEMENTO COFFE**

Surface : Matt Size: 600x1200mm

Random: 4

**CEMENTO CREMA** 

Surface: Matt

Size: 600x1200mm
























## **CEMENTO GRIS**

Surface : Matt Size: 600x1200mm

Random: 4

Surface: Matt

Size: 600x1200mm

























## **CEMENTO IVORY**

Surface : Matt Size: 600x1200mm Random: 4 **CLASSIC STATURIO** 

Surface: Matt

Size: 600x1200mm























## **FERRO CELESTE**

Surface: Matt

Size: 600x1200mm Random: 4

#### **FUSION GREY**

Size: 600x1200mm Surface: Matt Random: 6






















## **MARMI GREY**

Surface : Matt Size: 600x1200mm

Random: 6

**ROCCA IVORY** 

Surface: Matt

Size: 600x1200mm

























## **NEO BEIGE**

Surface : Matt Size: 600x1200mm

Random:1

**NEO BROWN** 

Size: 600x1200mm Surface: Matt























# **NEO DARK BROWN**

Surface : Matt Size: 600x1200mm

Random:1

**NEO GREY** 

Surface: Matt

Size: 600x1200mm
























Size: 600x1200mm Random:1 Surface: Matt



#### **STONE BROWN**

Surface: Matt Size: 600x1200mm


























# **ROCK OLIVE**

Surface : Matt Size: 600x1200mm

Random: 4

**STATURIO WHITE** 

Surface: Matt Size: 600x1200mm









₩ Ø Weather Pro




al









## **BRECCIAN BLUE**

Surface : Matt Size : 600x1200mm Random : 05

Surface : Matt Size : 600x1200mm Random : 10





















#### **BALSA BEIGE**

Size: 600x1200mm Surface : Matt

Random: 4

# **BALSA CREMA**

Surface: Matt

Size: 600x1200mm



















ૹ૾ૺૺ

Stain Resistant





# **BALSA PEANUT**

Surface : Matt Size: 600x1200mm Random: 4

## **BEECH COFFE**

Surface: Matt Size: 600x1200mm























Size: 600x1200mm Surface: Matt Random: 4

#### **CELTIS BROWN**

Surface : Matt

Size: 600x1200mm



#### **Technical Specification**



| Characteristic                    | Group Bla –<br>ISO 13006/EN-176 | Group Bia<br>IS :15622:2017 | Value              | Test According to          |
|-----------------------------------|---------------------------------|-----------------------------|--------------------|----------------------------|
| Deviation in length and width     | ± 0.6%                          | ± 0.1%                      | ± 0.1%             | ISO 10545:2/IS:13630 (P-1) |
| Deviation in thickness            | ± 5%                            | ± 4%                        | ± 4%               | ISO 10545:2/IS:13630 (P-1) |
| Deviation in Staightness of sides | ± 0.5%                          | ± 0.4%                      | ± 0.1%             | ISO 10545:2/IS:13630 (P-1) |
| Deviation in Rectangualrity       | ± 0.6%                          | ± 0.1%                      | ± 0.1%             | ISO 10545:2/IS:13630 (P-1) |
| Deviation in Surface Flatness     | ± 0.5%                          | ± 0.2%                      | ± 0.2%             | ISO 10545:2/IS:13630 (P-1) |
| Surface Quality & Color (%)       | Minimum 95%                     | Minimum 95%                 | No visible defects | ISO 10545:2/IS:13630 (P-1) |
| Glossiness with Nano              | Declared by<br>manufacture      | -                           | Above 90           | ISO 2813 (Glossy meter)    |



| Characteristic                             | Group Bla -<br>ISO 13006/EN-176 | Group Bia<br>IS :15622:2017 | Value     | Test According to           |
|--|---------------------------------|-----------------------------|-----------|-----------------------------|
| Scratch Hardness of surface<br>Moh's scale | Min. 3                          | Min. 3                      | Min. 3    | EN-101/IS:13630 (P-13)      |
| Water absorption                           | ≤3%                             | Min. 3                      | ≤3%       | ISO 10545:3/IS: 13630 (P-2) |
| Moisture Expansion                         | Nil                             | -                           | Nil       | ISO 10545:10                |
| Surface Abrassion                          | Required                        | Required                    | PEI 2 - 4 | ISO 10545:7/IS:13630 (P-12) |



| Characteristic     | Group Bla –<br>ISO 13006/EN-176 | Group Bia<br>IS :15622:2017             | Value      | Test According to           |  |
|--------------------|---------------------------------|---|------------|-----------------------------|--|
| Breaking strength  | 1300 N                          | Min 1300 N                              | ≥ 1800 N   | ISO 10545:4/IS: 13630 (P-6) |  |
| Modulus of rupture | >35 N/mm2                       | Average 35,<br>Individual<br>minimum 32 | ≥ 35 N/mm2 | ISO 10545:4/IS: 13630 (P-6) |  |



| Characteristic                          | Group Bla –<br>ISO 13006/EN-176 | Group Bia<br>IS :15622:2017 | Value      | Test According to         |  |
|---|---------------------------------|-----------------------------|------------|---------------------------|--|
| Density                                 | 2.20 gm/cc                      | Min 2.20 gm/cc              | 2.20 gm/cc | DIN 51082/IS: 13630 (P-2) |  |
| Skid resistance (Friction coefficient ) | ≥0.4                            | 1-                          | ≥ 0.4      | ISO 10545:17              |  |



| Characteristic                       | Group Bla –<br>ISO 13006/EN-176 | Group Bia<br>IS :15622:2017 | Value                               | Test According to             |
|--------------------------------------|---------------------------------|-----------------------------|-------------------------------------|-------------------------------|
| Thermal shock resistance             | Resistant to 10 cycles          | Min 10 cycles               | Pass min 10 cycles                  | ISO 10545:9/IS: 13630 (P-5)   |
| Co efficient of thermal<br>expansion | 9×10-6K-1Max                    | 6×10-6K-1Max                | <6×10-6K-1 Max                      | ISO 10545:8/IS:13630 (P-4)    |
| Frost resistance                     | Resistant                       | Required                    | Need to comply<br>with the standard | ISO 10545:12/IS: 13630 (P-10) |
| Color Resistance to UV light         | Resistant                       | -                           | Resistant                           | DIN 51094                     |



| Characteristic   | Group Bla –<br>ISO 13006/EN-176 | Group Bia<br>IS :15622:2017 | Value                   | Test According to           |
|--|---------------------------------|-----------------------------|-------------------------|-----------------------------|
| Stain Resistance   | Min class-3                     | Required                    | Min conform to class-3* | ISO 10545:14                |
| Chemical Resistance HOUSE<br>HOLD CHEMICAL &<br>SWIMMING POOL SALT | min class-UB                    | Required                    | Conform to classes-UA*  | ISO 10545:13/IS:13630 (P-7) |
| Chemical Resistance LOW CONCENTRATIONS ACID & ALKALIES             | min class-ULB                   | Required                    | Conform to classes-ULA* | ISO 10545:13/IS:13630 (P-7) |
| Chemical Resistance HIGH<br>CONCENTRATIONS ACID &<br>ALKALIES      | min class-UHB                   | Required                    | Conform to classes-UHA* | ISO 10545:13/IS:13630 (P-7) |

#### DOMESTIC PACKING DETAILS

| Dimensions | Thickness | Pieces  | Coverd | ige Area | Box Weight (kg) |
|------------|-----------|---------|--------|----------|-----------------|
| (mm)       | (mm)      | Per Box | (sqm.) | (sqft.)  |                 |
| 600x1200   | 9         | 02      | 1.44   | 15.50    | 29 (Approx)     |

#### NOTE:

- · Colours in the catalogue are as accurate as printing process allows. Please check actual tile sample before making the final selection.
- · Sizes mentioned in the catalogue are nominal sizes only.
- For better laying. Please follow the instructions on the packaging box.
- Please make sure to check the shade/finish with the sales agent/ dealer making the final purchase because there might be variation in actual finish that shown in the catalogue. The company will not bear any loss in such case.



















8-A, National Highway, Lakhadhirpur Road, Ghuntu, Morbi-363642, Gujrat, INDIA.

Phone Number: +91 90819 88855, +91 76005 67662

E-mail: hello@ggcl.in

Web: www.ggcl.in, www.grupponueva.com