


# GruppoNueva™



**SHAPING YOUR SPACE**  
in Hexagon Style...

**200X230MM**  
Hexagon Product Catalogue

---




## Elevate Your Design with Hexagon Perfection.

Discover our Hexagon collection, the hexagons are not only ideal for walls but also perfectly suited for flooring. Their subdued colours and matt finish make them a versatile choice for custom mosaic designs! inviting for the creation of unique & personalized patterns. Hexagonal tiles are six-sided polygons, resembling the shape of a honeycomb. They can also feature different patterns and designs, such as solid colors, speckled effects, or intricate designs.

Elevate your space with the stylish and practical charm of the Hexagon collection. Small hex tiles can be arranged to create intricate mosaic patterns. They can be combined with other shapes and sizes to create unique and personalized designs.

Hexagonal tiles can fit both traditional and contemporary styles. They can be used alone or combined with other tile shapes for a more eclectic look. Their geometric shape makes them suitable for creating both simple and complex designs, from uniform patterns to dynamic, random arrangements.







**8.5 MM**  
THICKNESS

**Six Sides  
of Style**



## Crafting Spaces with Hexagonal Perfection...

Hexagon tiles have become a popular choice in both interior and exterior design due to their distinctive six-sided shape and versatility. Their geometric beauty adds a unique aesthetic appeal, allowing for creative and intricate patterns like the classic honeycomb design. Available in a wide range of materials such as ceramic, porcelain, marble, and glass, as well as various colors and sizes, hexagon tiles can complement both modern and traditional design styles.

They are commonly used for flooring in bathrooms, kitchens, and entryways, where their non-linear appearance can make spaces seem larger. On walls, hexagon tiles serve as striking backsplashes or accent features that add texture and dimension.

Outdoors, their durability makes them ideal for patios, walkways, and pool areas. However, installing hexagon tiles requires careful alignment and precise cutting, and choosing the right grout color is essential to either highlight or blend the tiles seamlessly. Easy to maintain with regular cleaning and occasional sealing, especially for natural stone varieties, hexagon tiles are a durable and stylish choice that brings timeless elegance to any space.



## Innovate Your Interiors with Hexagon Tiles...

Hexagon tiles have evolved from a classic design element to a versatile modern choice, making a significant impact on contemporary interior and exterior design. Their six-sided geometric shape lends itself to a multitude of patterns, ranging from the simple and elegant to the intricate and bold. This versatility makes hexagon tiles a favorite for creating unique and eye-catching designs in a variety of spaces.

200X230MM







## Hexagon Tiles

### The Art of Geometry

Beyond residential use, hexagon tiles are also popular in commercial spaces such as restaurants, cafes, and boutiques, where their unique shape can be used to create memorable interiors that stand out. Their durability and ease of maintenance make them a practical choice for high-traffic areas, while their design flexibility allows businesses to create distinctive looks that align with their brand identity.



**8.5 MM**  
THICKNESS





From Classic to Contemporary,  
Hexagon Tiles Shine...





## HEXA-1

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:16

VITRIFIED BODY



## HEXA-3

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:16

VITRIFIED BODY

## HEXA-2

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:16

VITRIFIED BODY




## HEXA-4

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:04

VITRIFIED BODY



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL



SCRATCH  
RESISTANCE




STAIN  
RESISTANCE





HEXA-3






## HEXA-6

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:15

VITRIFIED BODY



## HEXA-8

DECOR

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:09

VITRIFIED BODY

## HEXA-7

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:04

VITRIFIED BODY




## HEXA-13

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:08

VITRIFIED BODY



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL



SCRATCH  
RESISTANCE



STAIN  
RESISTANCE





HEXA-6





## HEXA-9

BASE BEIGE

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:10

VITRIFIED BODY



## HEXA-9

DECOR

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY


## HEXA-9

BASE RED

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:10

VITRIFIED BODY




## HEXA-10

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:16

VITRIFIED BODY



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL



SCRATCH  
RESISTANCE



STAIN  
RESISTANCE





## HEXA-11

BASE LT

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:10

VITRIFIED BODY



## HEXA-11

DECOR

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY


## HEXA-11

BASE

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:10

VITRIFIED BODY




## HEXA-15

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:01

VITRIFIED BODY



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL



SCRATCH  
RESISTANCE



STAIN  
RESISTANCE





HEXA-14






## HEXA-14

BASE

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:10

VITRIFIED BODY



## HEXA-16

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:08

VITRIFIED BODY

## HEXA-14

DECOR

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:10

VITRIFIED BODY




## HEXA-17

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:16

VITRIFIED BODY



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL



SCRATCH  
RESISTANCE




STAIN  
RESISTANCE





HEXA-16






## HEXA-18

LIGHT

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY



## HEXA-18

DARK

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY


## HEXA-18

MEDIUM

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY




## HEXA-19

LIGHT

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL




SCRATCH  
RESISTANCE



STAIN  
RESISTANCE





## HEXA-19

MEDIUM

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY



## HEXA-20

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:15

VITRIFIED BODY



## HEXA-19

DARK

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY



## HEXA-21

YELLOW

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL




SCRATCH  
RESISTANCE



STAIN  
RESISTANCE






## HEXA-21

NAVY BLUE

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY



## HEXA-21

BLUE

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY


## HEXA-21

BEIGE

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY




## HEXA-21

GREEN

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:06

VITRIFIED BODY



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL




SCRATCH  
RESISTANCE



STAIN  
RESISTANCE





## HEXA-22

DECOR ORANGE

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:04

VITRIFIED BODY



## HEXA-22

DECOR GREEN

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:04

VITRIFIED BODY


## HEXA-22

ORANGE

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:08

VITRIFIED BODY




## HEXA-22

GREEN

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:08

VITRIFIED BODY



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL



SCRATCH  
RESISTANCE



STAIN  
RESISTANCE





HEXA-22






## HEXA-22

DECOR CHARCOAL

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:04

VITRIFIED BODY



## HEXA-30

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:08

VITRIFIED BODY

## HEXA-22

BASE CHARCOAL

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:08

VITRIFIED BODY




## HEXA-31

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:01

VITRIFIED BODY



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL



SCRATCH  
RESISTANCE



STAIN  
RESISTANCE






## HEXA-24

BASE

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:08

VITRIFIED BODY



## HEXA-25

DECOR

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:08

VITRIFIED BODY

## HEXA-24

DECOR

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:08

VITRIFIED BODY




## HEXA-25

BASE

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:04

VITRIFIED BODY



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL



SCRATCH  
RESISTANCE



STAIN  
RESISTANCE





**HEXA-26**






## HEXA-26

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:16

VITRIFIED BODY



## HEXA-28

BLUE BASE | DECOR

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:09

VITRIFIED BODY

## HEXA-27

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:07

VITRIFIED BODY




## HEXA-28

GREY BASE | DECOR

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
:09

VITRIFIED BODY



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL



SCRATCH  
RESISTANCE




STAIN  
RESISTANCE





HEXA-33





## HEXA-37

DECOR

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
: **04**

**VITRIFIED BODY**



## HEXA-32

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
: **01**

**VITRIFIED BODY**

## HEXA-37

BASE

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
: **04**

**VITRIFIED BODY**



## HEXA-33

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
: **01**

**VITRIFIED BODY**



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL




SCRATCH  
RESISTANCE



STAIN  
RESISTANCE





## HEXA-35

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
: **04**


**VITRIFIED BODY**

## HEXA-36

FORMAT :  
**200X230MM** | SURFACE :  
**MATT**

AVAILABLE RANDOM  
: **04**

**VITRIFIED BODY**



SIZE : 200X230MM | Hexagon

Thickness	Pcs/Box	Sq.ft./Pcs	Sq.ft./Box	Sq.m./Box	Weight /Box
8.5 MM	16	0.37	5.92	0.55	99 KG (Approx)

### APPLICATIONS


	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	✓
Wet & Level – Interior Floor	≥ 0.42	✓
Shower Floors (Residential or Light Commercial)	≥ 0.42	✓
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	
Pool Linings	N/A	✓

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest™, visit [daltille.com/DCOF](https://daltille.com/DCOF).

### APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in freezing and non-freezing climates, when proper installation methods are followed.

### INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8"	 Random (V4)

### PERFORMANCE CHARACTERISTICS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 250 lbs
Scratch Hardness	MOHS	4.0
Chemical Resistance	C650	Resistant

For additional information on test results, visit us at:  
[daltille.com/information/TestResults](https://daltille.com/information/TestResults).



FROST  
PROOF



EASY  
TO INSTALL



EASY TO  
CLEAN



ECOLOGICAL



SCRATCH  
RESISTANCE



STAIN  
RESISTANCE