
GruppoNueva[™]



GruppoNueva

Application

indoor



Outdoor









002

Airport Lobby

Subway Metro Stations

Footpath

Public Structutes

Surfaces

MADE WITH ITALIAN TECHNOLOGY



italian design



super size



versatile



hygienic



wear resistant



stain resistant

De' Premira + Stone is both sustainable and aesthetic with superior technical performance. With the fusion of natural materials and extended sizes, it is possible to create spaces that interact with each other and harmonize with the surroundings of the built environment.

Extremely natural, textured, colorful and charming surfaces. Stone slabs sintered by De' Premira+ Surfaces for floors and coverings combine the utmost attention to contemporary taste with the typical versatility of ceramic material.





De' Premira + Slab Surfaces

Polished:

A high-reflection surface that enhances the depth and brilliance of marble patterns. Achieved through advanced polishing, the Gloss Finish delivers a mirror -like effect, ideal for luxurious, light-filled spaces.

Matt:


The Matt surface finish is a subtle, understated option that exudes a sense of quiet sophistication. While similar to the Natural finish, the Matt surface has a slightly more tactile quality, with a gentle texture that adds depth and visual interest. Compared to the Natural finish, the Matt surface is slightly rougher to the touch, with a minute texture that catches the light. This subtle texture gives the surface a sense of organic authenticity.

High Gloss:

The High Gloss surface finish is a masterful blend of understated elegance and cutting-edge technology. This exceptional finish boasts a smooth, matt appearance that is remarkably velvety to the touch. Despite its subtle, non-reflective sheen, the Natural surface has a super-smooth finish that is a delight to behold. The surface is so smooth, in fact, that it seems to glide effortlessly under the fingertips, inviting exploration and tactile engagement. But what truly sets the High Gloss surface apart is its remarkable anti-scratch properties. This finish is designed to withstand the rigors of daily life, resisting scratches and scuffs with ease. Whether subjected to heavy use or accidental impacts, the High Gloss surface remains unblemished and unchanged, retaining its smooth, matt beauty for years to come.

BIG SIZES

GRES PORCELÁNICO / PORCELAIN STONEWARE





Inspiration

The use of large formats not only enriches the visual surface, but also allows for a continuous effect that amplifies the aesthetic impact, creating sophisticated and seamless environments. The veining, studied with precision, faithfully reproduces that of nature, transmitting a sensation of timeless elegance, while the ceramic surface is designed to be highly resistant, durable and easy to maintain. This combination of art and technology allows for a highly realistic effect, with technical performance superior to other materials, the slabs can be applied to walls or floors, furniture and custom-made furnishings.

BIANCO COVELANO

Finish: Polished, Matt

STATUARIO PEARL

Finish: Polished, Matt

BIANCO DI ELBA

Finish: Polished, Matt

AVORIO LUX

Finish: Polished, Matt

ONICE

Finish: Polished, Matt

FENDA ONYX

Finish: Polished, Matt

TITANIUM TRAVERTINO

Finish: Polished, Matt

SUMMER GREY

010

Finish: Polished, Matt

ENDLESS GREY

Finish: Polished, Matt

PIETRA GREY

Finish: Polished, Matt

PIETRA BLACK

Finish: Polished, Matt

SAINT LAURENT

Finish: Matt, High Gloss

BARCELONA CRSYTAL

Finish: Polished, Matt

CEMENTO NATURAL

Finish: Matt

NEO WHITE

Finish: Matt


NORD CEMENT


Finish: Matt

Unveiling the **De'Premira+** Collection Catalogue a stunning fusion of artistic veins, natural textures, and lasting durability. Explore surfaces crafted to inspire architects, designers, and dreamers who seek beauty, strength, and timeless sophistication in every space.

GruppoNueva[™]








Bianco Covelano

FORMATS



Size:1200x2800mm Thickness: 6mm & 9mm Finish: Polish | Matt Size:1200x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt Size:1600x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

Polished - in stock

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS

CLIMPLE

01%

t_c°

A CE










Statuario Pearl

FORMATS



Thickness: 6mm & 9mm Finish: Polish | Matt

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS

slab.collection









Bianco Di Elba

FORMATS



Size:1200x2800mm Thickness: 6mm & 9mm Finish: Polish | Matt Size:1200x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt Size:1600x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

Polished - in stock Matt - in stock

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS

CUMPLE

01%

UNNU


↓ ↓ ↓ ↓

tc°

PESISTE

<u>*</u>








Avorio Lux

FORMATS



Size:1200x2800mm Size:12
Thickness: 6mm & 9mm Thickne
Finish: Polish | Matt Finish:

Size:1200x3200mmSize:1600x3200mmThickness: 12mm & 20mmThickness: 12mm & 20mmFinish: Polish | MattFinish: Polish | Matt

Polished - in stock Matt - in stock

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.


TECHNICAL SPECIFICATIONS

CUMPLE 0,1% PB 3 45 / 60 RESISTE RESISTE RESISTE GA










Onice

FORMATS



Size:1200x2800mm Thickness: 6mm & 9mm Finish: Polish | Matt Size:1200x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt Size:1600x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

Polished - in stock Matt - in stock

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS

CUMPLE

01%

√ ↓ ↓ ·

tc°

E RESISTE

RESISTE

GA GA










Fenda Onyx

FORMATS



Size:1200x2800mm Thickness: 6mm & 9mm Finish: Polish | Matt Size:1200x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt Size:1600x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

Polished - in stock Matt - in stock

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS

CUMPLE

0.1%

BESISTE

A 3
















Thickness: 6mm & 9mm Finish: Polish | Matt

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

Thickness: 12mm & 20mm Finish: Polish | Matt

TECHNICAL SPECIFICATIONS

Thickness: 12mm & 20mm Finish: Polish | Matt



slab.collection










Summer Grey

FORMATS



Size:1200x2800mm Thickness: 6mm & 9mm Finish: Polish | Matt

Size:1200x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt Size:1600x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS










Endless Grey

FORMATS



Size:1200x2800mm Thickness: 6mm & 9mm Finish: Polish | Matt Size:1200x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

Size:1600x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS







Pietra Grey

FORMATS



Size:1200x2800mm Thickness: 6mm & 9mm Finish: Polish | Matt

Size:1200x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

Size:1600x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS












Pietra Black

FORMATS



Size:1200x2800mm Thickness: 6mm & 9mm Finish: Polish | Matt Size:1200x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

Size:1600x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS








Saint Laurent

FORMATS



Size:1200x2800mm Thickness: 6mm & 9mm Finish: Polish | Matt Size:1200x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt Size:1600x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

Polished - in stock

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS



\$\$\$\$

√ ↓ ↓ nnm ↓ ↓

↓ ↓ ↓ (15 / 80 c° §

<u>}</u>

TE C










Barcelona Crystal

FORMATS



Thickness: 12mm & 20mm Finish: Polish | Matt

Polished - in stock Matt - in stock

Thickness: 6mm & 9mm Finish: Polish | Matt

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

Thickness: 12mm & 20mm Finish: Polish | Matt

TECHNICAL SPECIFICATIONS

CUMPLE 0,1% PB 3 45/60 RESISTE RESISTE RESISTE GA CE









Cemento Natural

FORMATS



Size:1200x2800mm Thickness: 6mm & 9mm Finish: Polish | Matt

Size:1200x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

Size:1600x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS





OSO





Neo White

FORMATS



Size:1200x2800mm Thickness: 6mm & 9mm Finish: Polish | Matt Size:1200x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt Size:1600x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

Polished - in stock

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS

CUMPLE 0

0.1%

√ ↓ ↓ mm ↓ ↓

, ↓

<u>*</u>










Nord Cement

FORMATS



Size:1200x2800mm Thickness: 6mm & 9mm Finish: Polish | Matt

Size:1200x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt


Size:1600x3200mm Thickness: 12mm & 20mm Finish: Polish | Matt

The Bianco Covelano is a masterclass in understated elegance, featuring a pure black surface that seems to defy the senses. The absence of any visual noise or distraction creates a sense of profound boldness.

TECHNICAL SPECIFICATIONS







Size:1200x2800mm Thickness: 6mm & 9mm Size:1200x3200mm Thickness: 12mm & 20mm Size:1600x3200mm Thickness: 12mm & 20mm


	·		
SR. NO	PROPERTIES	STANDARDS AS PER ISO 13006-2018	OUR STANDARDS
01	Deviation In Length & Width	± 0.30%	± 0.10%
02	Deviation In Thickness	± 0.5%	± 0.5%
03	Staightness In Side	± 0.30%	± 0.10%
04	Rectangularity	± 0.30%	± 0.10%
05	Surface Flatness Central Curvature	± 0.40%	± 0.10%
06	Surface Flatness Edge Curvature	± 0.40%	± 0.10%
07	Modulus Of Rupture (kg / C * m ^ 2)	350+	450+
08	Breaking Strength (N)	1300+	6000+
09	Water Absorption	<0.5%	<0.07%
10	Glossiness (Polish)	As Per Manufacturer	95+
11	Glossiness (Matt)	As Per Manufacturer	8
12	Crazing Resistance	4 Cycle	4 Cycle
13	Stain Resistance	Min Class 3	Min Class 3

PACKAGING


A-frames & Wooden Vertical Pallet

To protect the integrity of the big-slabs during transport, optimized packaging has been specially designed and produced for the products.

The slabs are packed and shipped in specially made Wooden Vertical Pallet and on specific A-frames (specially designed to improve the carriage of these products in containers), taking care to protect every single slab from knocks and scratches as best as possible.




Handling the slabs on the construction site



A-frame handling from long side (A) (Recommended Choice)


We recommend you to you use forks with a length of at least 1.30m, widening them to the maximum limit to make the most-possible use of the crate's surface.



Equipments

We recommend you to use forks with. a length of at least 2.80m, widening them to the maximum limit to make the most-

possible use of the crate's surface.



Lifitng Capacity:5ton

Handling with crane


Always pay attention to the movement and handling of the slabs to prevent splintering or breakage.

Make sure that oversized stone slabs or boards are delivered on a steel A-frame for support. Secure them with straps to prevent any horizontal movement during transport.

Panels can also be moved with a vertical clamp and overhead crane. To assist the movement of individual panels where the clamp doesn't close to 6mm, a rubber saddle can be made up (see photos) or vacuum suction lifters can be used.

When transporting to site, in particular benchtops with cut outs, always lay bench against a solid substrate such as MDF or similar. Ensure that backing support is at least 2cm wider than the benchtop, strap or tape, or both together, so handling will be easier and will avoid potential damage to panels in particular to cut outs. Always carry panels vertically not horizontally.

When handling the slabs, from removing them from the crates to fitting them on the wall or floor, we recommend you to use equipments designed specifically for handling large slabs.



Handling with manual suction cups

In the case of two workers, perform the handling using manual suction cups (preferably equipped with a pressure adjustment function). The workers must remove the slabs by lifting them in the middle, then moving them in an upright position, positioning themselves at the two ends of the long side

Manual handling

In addition to professional handling machinery, such as pneumatic handling machines or gantries, or the frame stated earlier, the slabs are usually moved (on the construction site and in the warehouse) by workers provided with tools that are commonly available and easy to use.


It is important to remember that manual handling must only be carried out where site conditions are amenable, such as:

080

Ample room for manoeuvre;


- Ground-floor location;
- Easy access,
- Limited number of slabs to be laid.

IN ANY CASE, THE SLABS MUST ALWAYS BE HANDLED INDIVIDUALLY AND ENSURE THE WORKERS' COMPLETE SAFETY.



CLEANING & MAINTENANCE

- 1. Gruppo nueva recommends using water and a mild detergent or a quality spray with a non-abrasive pad or sponge for routine cleaning.
- 2. It is recommended to use products with a PH between 5 and 9, since products outside of this range could damage the surface.
- 3. It is advisable not to leave cleaning products in contact with the countertop for more than 5 minutes. If it is necessary to leave cleaning products in contact with the countertop for more than 5 minutes, Check its effect on a separate piece of the surface.
- 4. Do not use products containing Trichlorethane or Methylene Chloride, such as cleaners.
- 5. If the slab is exposed to potentially hazardous products, rinse immediately with water to neutralize the effect.
- 6. Do not allow dirt and debris to remain in contact with the slab for long periods of time.
- 7. Products that contain oils or powders can leave residues and must be rinsed well.



HEAT RESISTANCE

- 1. Gruppo nueva Slabs can withstand medium temperatures in short-time spaces. Prolonged exposure may cause colour fading or other types of damage. Excessive heat in a localized space on the slab can damage it or cause breakage.
- 2. Do not expose the Gruppo nueva countertop to a temperature higher than 100 degrees Celsius.
- 3. Avoid contacting your countertop with hot cookware. Always use safeguards or insulators.

SCRATCH RESISTANCE

1. Gruppo nueva Slabs are scratch resistant but avoid using sharp object such as knives directly on the surface.

STAIN RESISTANCE

- 1. Gruppo nueva Slabs are highly stain-resistant and easy to remove.
- 2. To remove stains, try to remove them with a damp cloth, soap, or a non-abrasive cleaner.
- 3. For stuck-on resistance, such as food & chewing gum, Nail polish, or dried paint, first scrape the material with a scraper.





GruppoNueva**

8-A, Lakhdhirpur Road, Beside Narmada Canal, Morbi, Gujarat 363 642

+91 77770 40468 | international@grupponueva.com www.grupponueva.com

